

CENTURA

DIJON

MIRAGE[®]
INSPIRING BETTER LIVING

PROPOSTA COMPLETA DI FORMATI E FINITURE DI SUPERFICIE

COMPLETE RANGE OF SIZES AND SURFACE FINISHES
PROPOSITION COMPLÈTE DE FORMATS ET DE FINITIONS DE SURFACE
UMFASSENDES ANGEBOT AN FORMATEN UND OBERFLÄCHENAUSFÜHRUNGEN
PROPUESTA COMPLETA DE FORMATOS Y ACABADOS DE SUPERFICIES
尺寸和表面光洁度的完整提案


20mm
EVO_2/E™

9mm

150X150
6"X6"



300X300
12"X12"



300X600
12"X24"

600X1200
24"X48"



600X900
24"X36"



600X1200
24"X48"



600X600
24"X24"



600X600
24"X24"



DJ 01 Couches



9 mm

150x150 / 6"x6" SP
 300x300 / 12"x12" SP
 300x600 / 12"x24" SP / ST
 600x600 / 24"x24" SP / LAPP
 600x1200 / 24"x48" SP / LAPP

20 mm

600x600 / 24"x24" ST
 600x900 / 24"x36" ST
 600x1200 / 24"x48" ST

Decorì

Decorations
 Dekore
 Décorations
 Decoraciones
 装饰



Mosaico 36T DJ 01
 300x300 / 12"x12" SP



Soap DJ 01
 380x400 / 15"x15¾" SP






Exà DJ 01
 300x400 / 12"x15¾" SP



DJ 01 Kit Fontainbleau
 1 pz 600x600 / 24"x24" SP
 2 pz 300x400 / 12"x15¾" SP
 2 pz 300x200 / 12"x8" SP
 (Bordo irregolare / Irregular edge)

 **Stucchi consigliati**
Recommended grouts

	Kerakoll 43
	Mapei 133
	Laticrete 23 Antique White

Scopri di più
 Find out more



DJ 02 Commarin



9 mm

150x150 / 6"x6" SP
 300x300 / 12"x12" SP
 300x600 / 12"x24" SP / ST
 600x600 / 24"x24" SP / LAPP
 600x1200 / 24"x48" SP / LAPP

20 mm

600x600 / 24"x24" ST
 600x900 / 24"x36" ST
 600x1200 / 24"x48" ST

Decori

Decorations
 Dekore
 Décorations
 Decoraciones
 装饰



Mosaico 36T DJ 02
 300x300 / 12"x12" SP



Soap DJ 02
 380x400 / 15"x15¾" SP






Exà DJ 02
 300x400 / 12"x15¾" SP



DJ 02 Kit Fontainbleau
 1 pz 600x600 / 24"x24" SP
 2 pz 300x400 / 12"x15¾" SP
 2 pz 300x200 / 12"x8" SP
 (Bordo irregolare / Irregular edge)

Stucchi consigliati
 Recommended grouts

-  Kerakoll 05
-  Mapei 110 Manhattan
-  Laticrete 90 Light Pewter

Scopri di più
 Find out more



DJ 03 Rochepot



9 mm

150x150 / 6"x6" SP
 300x300 / 12"x12" SP
 300x600 / 12"x24" SP / ST
 600x600 / 24"x24" SP / LAPP
 600x1200 / 24"x48" SP / LAPP

20 mm

600x600 / 24"x24" ST
 600x900 / 24"x36" ST
 600x1200 / 24"x48" ST

Decorì

Decorations
 Dekore
 Décorations
 Decoraciones
 装饰



Mosaico 36T DJ 03
 300x300 / 12"x12" SP



Soap DJ 03
 380x400 / 15"x15¾" SP




Exà DJ 03
 300x400 / 12"x15¾" SP



**DJ 03
 Kit Fontainbleau**
 1 pz 600x600 / 24"x24" SP
 2 pz 300x400 / 12"x15¾" SP
 2 pz 300x200 / 12"x8" SP
 (Bordo irregolare / Irregular edge)

 **Stucchi consigliati**
 Recommended grouts



Scopri di più
 Find out more



DJ 04 Bazoches



9 mm


150x150 / 6"x6" SP
 300x300 / 12"x12" SP
 300x600 / 12"x24" SP / ST
 600x600 / 24"x24" SP / LAPP
 600x1200 / 24"x48" SP / LAPP

20 mm

600x600 / 24"x24" ST
 600x900 / 24"x36" ST
 600x1200 / 24"x48" ST

Decori

Decorations
 Dekore
 Décorations
 Decoraciones
 装饰



Mosaico 36T DJ 04
 300x300 / 12"x12" SP



Soap DJ 04
 380x400 / 15"x15¾" SP



Exà DJ 04
 300x400 / 12"x15¾" SP



DJ 04 Kit Fontainbleau
 1 pz 600x600 / 24"x24" SP
 2 pz 300x400 / 12"x15¾" SP
 2 pz 300x200 / 12"x8" SP
 (Bordo irregolare / Irregular edge)

Stucchi consigliati
Recommended grouts

- Kerakoll 07
- Mapei 112 Grigio Medio
- Laticrete 78 Sterling Silver

Scopri di più
 Find out more




DJ 05 Cormatin

9 mm

150x150 / 6"x6" SP
 300x300 / 12"x12" SP
 300x600 / 12"x24" SP / ST
 600x600 / 24"x24" SP / LAPP
 600x1200 / 24"x48" SP / LAPP



Decori
 Decorations
 Dekore
 Décorations
 Decoraciones
 装饰



Mosaico 36T DJ 05
 300x300 / 12"x12" SP



Soap DJ 05
 380x400 / 15"x15¾" SP






Exà DJ 05
 300x400 / 12"x15¾" SP



**DJ 05
 Kit Fontainbleau**
 1 pz 600x600 / 24"x24" SP
 2 pz 300x400 / 12"x15¾" SP
 2 pz 300x200 / 12"x8" SP
 (Bordo irregolare / Irregular edge)

 **Stucchi consigliati**
 Recommended grouts

 Kerakoll 08
 Mapei 119
 Laticrete 45 Raven

Scopri di più
 Find out more



Positano Decoro

Prodotto adatto per applicazione a rivestimento e pavimento (traffico leggero).

Product suitable for wall and floor applications (light traffic).

Produit adapté aux applications murales et au sol (trafic léger)

Produkt geeignet für Wand- und Boden Anwendungen (leichter Verkehr)

Producto adecuado para su aplicación en paredes y suelos (tráfico ligero)

产品适用于墙面和地面应用 (轻度流量)



Positano
1200x2780 / 48"x110"



Floor
OUDH Cedro OU 07 SP SQ
250x1500 / 10"x60"

Counter
Positano
1200x2780 / 48"x110"

Schemi di posa suggeriti









SUGGESTED LAYING SCHEMES
 PROPOSITIONS DE SCHÉMAS DE POSE
 VORGESCHLAGENE VERLEGUNGSCHEMEN
 ESQUEMAS DE COLOCACIÓN SUGERIDOS

A
 600x1200 / 24"x48": 44,5%
 600x600 / 24"x24": 22,2%
 300x600 / 12"x24": 33,3%

B
 600x1200 / 24"x48": 44,4%
 600x600 / 24"x24": 44,4%
 300x600 / 12"x24": 11,2%

E
 600x600 / 24"x24": 53,3%
 300x600 / 12"x24": 26,7%
 300x300 / 12"x12": 13,3%
 150x150 / 6"x6": 6,7%

F
 600x1200 / 24"x48": 57,1%
 600x600 / 24"x24": 28,6%
 300x600 / 12"x24": 14,3%



C
 600x1200 / 24"x48": 61,54%
 600x600 / 24"x24": 30,77%
 300x600 / 12"x24": 7,69%






D
 600x600 / 24"x24": 33,3%
 300x600 / 12"x24": 33,3%
 300x300 / 12"x12": 25%
 150x150 / 6"x6": 8,4%






G
 600x1200 / 24"x48": 72,7%
 600x600 / 24"x24": 18,2%
 300x600 / 12"x24": 9,1%




H
 600x600 / 24"x24": 57,1%
 300x600 / 12"x24": 28,6%
 300x300 / 12"x12": 14,3%

Riassuntivo formati e imballi




SUMMARY OF SIZES AND PACKAGING
 ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
 RÉCAPITULATIF FORMATS ET EMBALLAGES
 SINÓPTICO DE FORMATOS Y EMBALAJES
 规格和包装概述

					
	600x1200 24"x48"	600x1200 24"x48"	600x600 24"x24"	600x600 24"x24"	300x600 12"x24"
Spessore - Thickness	± 9 mm	± 9 mm	± 9 mm	± 9 mm	± 9 mm
Superficie - Finish	SP SQ	LAPP SQ	SP SQ	LAPP SQ	SP SQ
Couches DJ 01	BOU5	BPI3	BPS1	BSC7	BPS2
Commarin DJ 02	BOU6	BSC3	BPS3	BSC8	BPS4
Rocheport DJ 03	BOU7	BSC4	BPS5	BSC9	BPS6
Bazoches DJ 04	BOU8	BSC5	BQR5	BSD0	BSC1
Cormatin DJ 05	BOU9	BSC6	BOV6	BSD1	BSC2

 Peso lordo per scatola Gross weight per box	30,00	30,00	22,12	22,12	25,58
 Pezzi per scatola Pieces for box	2	2	3	3	7
 Mq. scatola Mq. box	1,44	1,44	1,08	1,08	1,26
 Scatole per full pallet Boxes per full pallet	35	35	40	40	40
 Mq./pallet	50,40	50,40	43,20	43,20	50,40


			
	300x600 12"x24"	300x300 12"x12"	150x150 6"x6"
Spessore - Thickness	± 9 mm	± 9 mm	± 9 mm
Superficie - Finish	ST SQ	SP SQ	SP SQ
BTH7	BRM0	BRL5	
BTH8	BRM1	BRL6	
BTH9	BRM2	BRL7	
BTI0	BRM3	BRL8	
BTI1	BRM4	BRL9	

25,58	22,50	11,24
7	12	28
1,26	1,08	0,63
40	48	68
50,40	51,84	42,84

			
600x1200 24"x48"	600x900 24"x36"	600x600 24"x24"	
Spessore - Thickness	± 20 mm	± 20 mm	± 20 mm
Superficie - Finish	ST SQ	ST SQ	ST SQ
BOV5	BPB0	BOV0	
BVH4	BPB1	BOV1	
BVH5	BPB2	BOV2	
BVH6	BPB3	BOV3	
-	-	-	







32,00	47,00	31,15
1	2	2
0,72	1,08	0,72
35	24	30
25,20	25,92	21,60

SP: Spazzolato LAPP: Lappato ST: Strutturato_Structured










Riassuntivo formati e imballi


SUMMARY OF SIZES AND PACKAGING
 ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
 RÉCAPITULATIF FORMATS ET EMBALLAGES
 SINÓPTICO DE FORMATOS Y EMBALAJES
 规格和包装概述

					
	Mosaico 36T 300x300 12"x12"	Exà 300x400 12"x15¾"	Soap 380x400 15"x15¾"	Kit Fontainbleau* bordo irregolare irregular edge	Positano 1200x2780 48"x110"
Superficie - Finish	SP	SP	SP	SP	
Couches DJ 01	BRQ0	BRU5	BRS5	BRQ5	BQY3
Commarin DJ 02	BRQ1	BRU6	BRS6	BRQ6	
Rocheport DJ 03	BRQ2	BRU7	BRS7	BRQ7	
Bazoches DJ 04	BRQ3	BRU8	BRS8	BRQ8	
Cormatin DJ 05	BRQ4	BRU9	BRS9	BRQ9	
 Pezzi per scatola Pieces for box	6	6	6	-	-

*2 pz. 300x400 + 2 pz. 300x200 + 1 pz. 600x600 - 2 pcs. 12"x15¾" + 2 pcs. 12"x8" + 1 pc. 24"x24"

						
Battiscopa 72x600 27/8"x24"	Gradino A 300x600 12"x24"	Gradino A 330x1200 13 1/5"x48"	Gradino B 330x600 13 1/5"x24"	Gradino B 330x1200 13 1/5"x48"	Gr. B Ang. 330x330 13 1/5"x13 1/5"	Gradino G 300x600 12"x24"
SP	SP	SP	SP	SP	SP	SP
BRP5	BRO5	BRP0	BRM5	BRN0	BRN5	BRO0
BRP6	BRO6	BRP1	BRM6	BRN1	BRN6	BRO1
BRP7	BRO7	BRP2	BRM7	BRN2	BRN7	BRO2
BRP8	BRO8	BRP3	BRM8	BRN3	BRN8	BRO3
BRP9	BRO9	BRP4	BRM9	BRN4	BRN9	BRO4
10	7	4	4	2	4	7

















SP: Spazzolato LAPP: Lappato ST: Strutturato_Structured

SHADE VARIATION MODERATE  **R9** SKID Resistance **R11** SKID Resistance **R11** SKID Resistance **LEED Compliant**

Caratteristiche tecniche

TECHNICAL SPECIFICATIONS | CARACTÉRISTIQUES TECHNIQUES
 TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS | 技术特征

STANDARD EN 14411 - G

CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTÉRISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征		NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТНОМ EN 14411 - G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTÉRISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征				LAPP SP ST 20mm
 LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAx (± 1,0 mm MAx)	CONFORME COMPLYING	
 SPESORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAx (± 0,5 mm MAx)	CONFORME COMPLYING	
 RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAx (± 0,8 mm MAx)	CONFORME COMPLYING	
 ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAx (± 1,5 mm MAx)	CONFORME COMPLYING	
 PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAx (± 1,8 mm MAx)	CONFORME COMPLYING	
 ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%	
 RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm ² .	± 9 mm: S ≥ 2.400 N R ≥ 48 N/mm ² ± 20 mm: S ≥ 12.500 N R ≥ 48 N/mm ²	
 RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSEFESTIGKEIT RESISTANCE AUX CHOCS - RESISTENCIA A LOS GOLPES УДАРСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80	
 RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³	
 COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹	
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCS THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
 RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
 RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA	
 RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5	
 CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT	
				LAPP SP ST 20mm
	DM 236/89 BCRA	> 0,40	-	> 0,40 > 0,40
	ANSI A326.3	Wet and Dry	-	≥ 0,42 ≥ 0,55
	AS 4586	-	-	P2 P5
	DIN 51130	-	-	R9 R11
	DIN 51097	-	-	A A+B+C
	UNE 41901	≥ CL1	-	CL1 CL3
	BS 7976 sl.96-4S	Wet and Dry	-	- ≥ 0,36
	BS 7976 sl.55-TRL	Wet and Dry	-	- ≥ 0,36
 SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性				

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SpA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SpA
 Para los certificados específicos, contactar Mirage SpA - Для сертификатов обращайтесь к компании Mirage SpA - 关于具体的证书, 请联系Mirage SpA公司

INSPIRING BETTER LIVING

